

FILE No.

PARTS LIST

Vacuum Cleaner


SC-B1230 (U.S.A.)


Specifications


Power source	: AC 120 V 60 Hz
Power consumption	: 12 A
Motor revolution	: 27,000 r.p.m.
Vacuum	: 2,300 mmAq
Dimensions	: 14 - 1/4" X 14 - 3/16" X 45"
LXWXH	(362 X 360 X 1,143 mm)
Net weight	: 19 lbs. 6 ozs. (8.8 Kg)
Attachment	: 2 Suction hose, 2 Wands,
	Crevice tool, Upholstery brush,
	Dusting brush


PRODUCT CODE NO. 1 - 326 663 01 (R)


Wiring Diagram











NOTE: The parts marked with \triangle have special characteristics of safety, if replace the \triangle mark parts,use only SANYO specified parts.

Key	Parts No.	Description	Q'ty	Ke	у	Parts No.	Description	Q'ty
No.		•		No			·	
1		INLAY PLUG (N5-46)	6				SLEEVE (NN-B)	2
2		SCR TPG PAN 4X16	3				DUST BOX PACKING (N1-233)	1
		SCR TPG PAN 4X20	21				AIR INLET FILTER	1
4		GRIP COVER RIGHT(N1-230)	1	. '	61	649 000 0773	MOTOR CUSHION REAR	1
5		CORD HOOK (N5-46)	1		62	649 000 5877	MOTOR COMP. (AC 120V)	1
6		GRIP RIGHT (N5-46)	1	$ $ \triangle		649 000 0742	CARBON BRUSH ASSEMBLY	2
7	649 000 4870	GRIP COVER LEFT (N1-230)	1				MOTOR CUSHION FRONT	1
8	649 000 4887	SCREW	1	(64	649 000 5266	LEAD WIRE (WHITE) L=350	1
9	649 000 4894	GRIP LEFT (N5-46)	1	(65	649 000 5884	CASE FRONT (N5-46)	1
10	649 000 4900	GRIP SUPPLEMENT A (NN-B)	1				SHIELD SHEET	1
11	649 000 4917	SCREW GRIP LEFT (N5-46) GRIP SUPPLEMENT A (NN-B) GRIP SUPPLEMENT B (NN-B) NUT HEX 6 SWITCH KNOB A (NN-B) SWITCH KNOB B (NN-B) CASE ORNAMENT (R-206)	1	<u> </u>	67	649 000 2708	FUSE ASSEMBLY (13A 120°C)	1
12	411 004 6101	NUT HEX 6	1				SCR TPG PAN 4X12	1
13	649 000 5723	SWITCH KNOB A (NN-B)	1				CORD ASSEMBLY (BLACK) L=200	1
14	649 000 5730	SWITCH KNOB B (NN-B)	1				CORD ASSEMBLY (BLACK) L=350	1
15	649 000 5747	CASE ORNAMENT (R-206)	1				OUTLET FILTER	i
<u>∧</u> 16	649 000 5754	CONTROL CIRCUIT ASSEMBLY	1			649 000 5303		i
			1				AIR SPREADER A	i
		CORD ASSEMBLY (BLACK) L=120	1				LAMP HOLDER	1
			1					
		CASE COVER(N5-46)					LAMP (15W 120V)	1
1		DUSTER HANDLE A (R-262)	1				LENS (N1-217)	1
21		CAUTION LABEL C	1				SUCTION HOSE COMP. KEYNO.78-80	1
		DUST BOX ASSEMBLY	1				HOSE JOINT PIPE B (NN-B)	1
		CRAMP HOOK (N1-233)	1				SUCTION HOSE (NN-B)	1
		CRAMP SPRING B	1	;	80	649 000 5624	HOSE GRIP PIPE (NN-B)	1
25	649 000 5006	GEAR B (N1-233)	1	:	81	649 000 5631	BRUSH BASE ASSEMBLY	1
26	649 000 2654	SCREW 4X16	1	;	82	649 000 2142	CREVICE TOOL	1
27	649 000 5785	PRE FILTER ASSEMBLY A	1	;	83	649 000 2159	UPHOLSTERY TOOL (NN-B)	1
28	649 000 5020	PACKING B (N1-233)	1				DUSTING BRUSH (NN-B)	1
		CRAMP LEVER (R-262)	1				CONNECTION PIPE A	1
		CRAMP SPRING A	1				CONNECTION PIPE B	1
		HANDLE (N5-46)	1				CONNECTION PIPE C (NN-B)	1
		GEAR A (N1-233)	1				SUCTION HOSE COMP. KEYNO.89-91	i
		PACKING C (N1-233)	1				CONNECTION PIPE D (NN-B)	l i
		DUST FILTER COMP. A	1				SUCTION HOSE (NN-B)	1
		PACKING A (N1-233)	1				HOSE GRIP PIPE (NN-B)	1
		DUST FILTER COMP. B	1				LEVER KNOB (R-262M)	
								1
37	049 000 5808	CASE REAR (R-206)	1				CASE UPPER (N5-46)	1
<u>/\</u> 38	649 000 5815	CORD ASSEMBLY (L=580)	1				BUMPER (N1-230)	1
		WIRE CONNECTOR (CE-5)	7				HOSE JOINT PIPE B (NN-B)	1
		LEAD WIRE (WHITE) L=200	1				SUCTION HOSE (NN-B)	1
		AIR SPREADER D	1				AIR INLET (R-206)	1
		AIR SPREADER C	1			649 000 1305		1
		POWER CORD (U2)	1				SCR TPG TRS 4X14	1
		HOSE JOINT PIPE A (NN-B)	1	1	00	649 000 2869	LEAF SPRING	1
	649 000 5150		1	1	01	649 000 2876	FLAT BELT	1
46	649 000 5839	ATTACHMENT SUPPORTER A	1				ROTARY BRUSH ASSEMBLY	1
47		ATTACHMENT SUPPORTER B	1				BELT COVER D	1
1		SCR TPG PAN 3X16	1				AIR SPREADER B	2
1		EXTENSION PIPE RETAINER	1				LEVER (N5-46)	1
		SCREW 4X16	1				LEAF SPRING D	Ιί
		CORD ASSEMBLY (L=680)	1	1	- 1		CAUTION LABEL B	
		CAUTION LABEL A					BOTTOM PLATE (NN-B)	l .
			1					1
	649 000 5860		1				LATCH (NN-B)	1
	411 001 0409		4				WHEEL HOLDER (NN-B)	1
		WHEEL REAR (NN-B)	2				WHEEL FRONT (NN-B)	2
		WASHER Z 7.2X12X0.5	2	1	12	649 000 5495	SHAFT FRONT	2
57	649 000 5235	SHAFT REAR	2					

COLOR CODE:R-206/R-262(RED),N1-217/N1-230/N1-233/N5-46(GRAY),NN-B(BLACK)